















- rhinitis in everyday health care: Position Paper of the German Society of Allergology (AeDA) and the German Society of Allergy and Clinical Immunology (DGAKI), ENT Section, in collaboration with the working group on Clinical Immunology, Allergology and Environmental Medicine of the German Society of Otorhinolaryngology, Head and Neck Surgery (DGHNOKHC). *Allergo J Int.* 2017;26(1):16–24.
68. Del Cuvillo A, Santos V, Montoro J, Bartra J, Davila I, Ferrer M, et al. Allergic rhinitis severity can be assessed using a visual analogue scale in mild, moderate and severe. *Rhinology.* 2017;55(1):34–8.
69. Bousquet J, Bewick M, Arnavielhe S, Mathieu-Dupas E, Murray R, Bedbrook A, et al. Work productivity in rhinitis using cell phones: The MASK pilot study. *Allergy.* 2017;72(10):1475–84.
70. Bousquet J, Murray R, Price D, Somekh D, Münter L, Phillips J, et al. The allergic allergist behaves like a patient. *Ann Allergy Asthma Immunol Off Publ Am Coll Allergy Asthma Immunol.* 2018;121(6):741–2.

Prof. Dr. Peter W. Hellings  
Clinical Division of Otorhinolaryngology, Head and Neck Surgery  
University Hospitals Leuven  
KU Leuven  
Kapucijnenvoer 33  
3000 Leuven  
Belgium

Tel: +32 16 33 23 76  
Fax: +32 16 34 60 15  
E-mail: Peter.hellings@kuleuven.be

Corrected Proof